

View Online at <https://aerobasegroup.com/nsn/5935-01-027-5350>

Body Style:

Multiple card

Overall Length:

5.620 inches

Overall Height:

0.720 inches

Overall Width:

0.440 inches

Unthreaded Mounting Hole Diameter:

0.129 inches

Distance Between Mounting Facility Centers:

5.240 inches

Board Accommodated Length:

2.500 inches single board

Board Accommodated Width:

Between 0.054 inches and 0.071 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

2 rows of independent contacts inserted board all mating ends

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

5.0 all mating ends single contact grouping

Contact Maximum Dc Voltage Rating In Volts:

700.0 all mating ends single contact grouping

Polarization Method:

Contact to contact polarizing keys

Terminal Location:

Back all mating ends single contact grouping

Contact Material:

Copper alloy all mating ends single contact grouping

Contact Surface Treatment:

Gold all mating ends single contact grouping and copper all mating ends single contact grouping

Insert Material:

Plastic phenolic all mating ends

Terminal Type:

Tab, solder lug all mating ends single contact grouping

Insert Material Specification:

Mil-m-14, type mfh military specification single material response all mating ends

Included Contact Type:

Leaf spring all mating ends single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.060 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.