## NSN 5935-01-028-2611

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-028-2611 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.492 inches **Overall Height:** 1.141 inches **Overall Width:** 1.141 inches **Environmental Protection:** Humidity resistant and shock proof and vibration proof **Unthreaded Mounting Hole Diameter:** 0.120 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 0.906 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.906 inches **Distance From Mounting Shoulder To Front Face:** Between 0.431 inches and 0.462 inches **Threaded Device Type:** Back shell **Mating End Quantity: Contact Position Arrangement Style:** 14-12 single mating end **Contact Removability:** Removable single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Thread Size:** 0.875 inches

**Terminal Location:** 

Back single mating end all contact groupings

## NSN 5935-01-028-2611

Electrical Receptacle Connector - Page 2 of 2



Contact Material:
Nickel single mating end 2nd contact grouping
Insert Material:
Plastic epoxy single mating end
Terminal Type:
Crimp single mating end all contact groupings
Included Contact Type:
Round socket single mating end all contact groupings
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0