## NSN 5935-01-028-5850

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-028-5850

**Body Style:** Right angle type **Overall Length:** 5.350 inches **Overall Height:** 0.645 inches **Overall Width:** 0.350 inches **Unthreaded Mounting Hole Diameter:** Between 0.092 inches and 0.097 inches **Distance Between Mounting Facility Centers:** 5.100 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Polarization Method:** 2 polarization posts Shell Type: Solid **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Shell Surface Treatment:** Anodize **Shell Surface Treatment Specification:** Mil-a-8625, type 2, class 2 military specification single treatment response **Included Contact Quantity:** 92 single mating end single contact grouping **Included Contact Type:** 

Contact surfaces gold

**Precious Material And Location:** 

Round pin single mating end single contact grouping

## NSN 5935-01-028-5850

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.092 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-a-8625 spec.