

View Online at <https://aerobasegroup.com/nsn/5935-01-029-8963>

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Straight edge type w/card guide

Overall Length:

4.875 inches

Overall Height:

3.277 inches

Overall Width:

0.343 inches

Unthreaded Mounting Hole Diameter:

0.112 inches

Distance Between Mounting Facility Centers:

4.031 inches

Board Accommodated Length:

3.277 inches single board

Threaded Device Type:

Mounting hole

Board Accommodated Width:

0.076 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

2 rows of independent contacts inserted board single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

5.0 single mating end single contact grouping

Polarization Method:

Contact to contact polarizing keys

Thread Size:

0.112 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Plastic diallyl phthalate single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping and nickel single mating end single contact grouping

Insert Material:

Plastic polycarbonate single mating end

Terminal Type:

Tab, solder lug single mating end single contact grouping

Contact Material Specification:

Mil-m-14, type sdc-f military specification single material response single mating end single contact grouping

Included Contact Quantity:

44 single mating end single contact grouping

Included Contact Type:

Bifurcated spring single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.036 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.