# NSN 5935-01-031-4960

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-031-4960

## **Body Style:**

Straight shape, external coupling w/backshell

#### **Overall Length:**

1.294 inches

# **Overall Height:**

1.703 inches

#### **Overall Width:**

1.703 inches

#### **Environmental Protection:**

Corrosion resistant and shock resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

#### 0.147 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 1.375 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.375 inches

# Distance From Mounting Shoulder To Front Face:

0.589 inches

# Mating End Quantity:

1

## Contact Removability:

Removable single mating end single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

2000.0 single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

#### **Insert Position In Deg:**

120.0

#### Shell Type:

Solid

## **Connector Locking Method:**

Bayonet pin

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

# **Contact Surface Treatment Specification:**

Mil-g-45204, type 1, cl 1, grade c military specification single treatment response single mating end single contact grouping and qq-n-290,

grade c federal specification 2nd treatment response single mating end single contact grouping

## **Terminal Type:**

Crimp single mating end single contact grouping

# Shell Material:

Aluminum alloy

# NSN 5935-01-031-4960

Electrical Receptacle Connector - Page 2 of 2

| Aerol | Base  |
|-------|-------|
|       | Group |

| Shell Surface Treatment:  |  |
|---|--|
| Cadmium and chromate  |  |
| Shell Surface Treatment Specification:                              |  |
| Qq-p-416, type 2, cl 3 federal specification 1st treatment response |  |
| Shell Material Specification:                                       |  |
| Qq-a-591 federal specification single material response             |  |
| Included Contact Quantity:  |  |
| 48 single mating end single contact grouping                        |  |
| Included Contact Type:  |  |
| Round pin single mating end single contact grouping                 |  |
| Precious Material And Location:                                     |  |
| Contact surfaces gold   |  |
| Precious Material And Weight:                                       |  |
| 0.048 gold grains, troy   |  |
| Precious Material:  |  |
| Gold  |  |
| Shelf Life:   |  |
| N/a   |  |
| Unit Of Measure:  |  |
|   |  |
| Demilitarization:   |  |
| No  |  |
| Fiig:   |  |
| A039b0  |  |
| Mil-std (military Standard):  |  |
| Mil-g-45204 spec.   |  |
|   |  |
|   |  |