NSN 5935-01-031-7794

response single mating end Included Contact Quantity:

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-031-7794

Body Style: Straight type **Overall Length:** 4.855 inches **Overall Height:** 0.635 inches **Overall Width:** 0.248 inches **Environmental Protection:** Vibration resistant and shock resistant and corrosion resistant and humidity resistant **Unthreaded Mounting Hole Diameter:** 0.101 inches **Distance Between Mounting Facility Centers:** 4.565 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Contact Surface Treatment Specification:** Mil-g-45204 type 11, cl 1, grade c military specification single treatment response single mating end single contact grouping **Criticality Code Justification:** Feat **Terminal Type:** Pin single mating end single contact grouping **Contact Material Specification:** Qq-b-530 federal specification single material response single mating end single contact grouping or qq-b-533 federal specification single material response single mating end single contact grouping or qq-b-750 federal specification single material response single mating end single contact grouping **Insert Material Specification:**

Mil-m-14 ty sdg-f military specification single material response single mating end or mil-m-14 ty gdi-30f military specification single material

NSN 5935-01-031-7794

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
2 holes 0.067 in. Dia, contact positions 15 and 17 for polarization $% \left(1\right) =\left(1\right) \left(1\right)$
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.078 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.