

View Online at https://aerobasegroup.com/nsn/5935-01-032-5415

| Thread Class:   |
|---|
| 2a  |
| Thread Direction:   |
| Right-hand  |
| Body Style:   |
| Straight shape threaded   |
| Overall Length:   |
| 0.894 inches  |
| Overall Diameter:   |
| 1.828 inches  |
| Environmental Protection:   |
| Moisture resistant and vibration resistant and salt water resistant |
| Distance From Mounting Shoulder To Front Face:                      |
| 0.826 inches  |
| Mounting Facility Thickness:  |
| 0.125 inches  |
| Threaded Device Type:   |
| Mounting bushing  |
| Mating End Quantity:  |
| 1   |
| Contact Position Arrangement Style:                                 |
| 20-41 single mating end   |
| Polarization Method:  |
| Key, multiple key groove  |
| Insert Position In Deg:   |
| 45.0  |
| Shell Type:   |
| Solid   |
| Connector Locking Method:   |
| Bayonet pin   |
| Thready Qty Per Inch (tpi):   |
| 18  |
| Thread Size:  |
|   |
| 1.375 inches  |
| Shell Material:   |
| Aluminum alloy 6061   |
| Shell Surface Treatment:  |
| Tin   |
| Shell Material Specification:                                       |
| Qq-a-200/8 federal specification single material response           |
| Bushing Accommodation Hole Shape:                                   |
| Round w/flat  |

Electrical Receptacle Connector Body - Page 2 of 2

AeroBase Group

**Thread Series Designator:** 

Unef

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0