Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-033-1480

Body Style:
Straight shape
Overall Length:
2.088 inches
Overall Height:
0.494 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
Between 0.086 inches and 0.091 inches
Distance Between Mounting Facility Centers:
1.852 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
"b, 17w2" single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
1500.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Steel
Shell Surface Treatment:
Cadmium and chromate

# NSN 5935-01-033-1480

Electrical Receptacle Connector - Page 2 of 2



### **Insert Material Specification:**

Mil-p-19833, type gdi-30f military specification single material response single mating end

## **Included Contact Quantity:**

15 single mating end single contact grouping

# Included Contact Type:

Round socket single mating end single contact grouping

# **Precious Material And Location:**

Contact surface gold and contact surface silver

## **Precious Material:**

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

---

#### **Demilitarization:**

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-p-19833 spec.