Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-034-6464

#### **Body Style:**

Straight edge type w/mounting flange

**Overall Length:** 

5.380 inches

**Overall Width:** 

0.125 inches

**Distance Between Mounting Facility Centers:** 

5.090 inches

**Board Accommodated Length:** 

4.425 inches single board

Board Accommodated Width:

0.098 inches

Mating End Quantity:

1

**Contact Position Arrangement Style:** 

2 rows of independent contacts inserted board single mating end

#### Contact Removability:

Removable single mating end single contact grouping

#### **Contact Maximum Current Rating In Amps:**

5.0 single mating end single contact grouping

#### **Polarization Method:**

Inter-contact polarizing keys

Shell Type:

Solid

**Connector Locking Method:** 

Latch

**Terminal Location:** 

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

# Insert Material:

Plastic diallyl phthalate single mating end

# **Terminal Type:**

Pin single mating end single contact grouping

# **Contact Material Specification:**

Qq-b-750 federal specification single material response single mating end single contact grouping

# Shell Material:

Plastic diallyl phthalate

# Included Contact Quantity:

120 single mating end single contact grouping



Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surface gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0