## NSN 5935-01-035-7390

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-035-7390
Body Style:
Straight shape, flush mount
Overall Length:
1.206 inches
Overall Height:
3.075 inches
Overall Width:
2.733 inches
Unthreaded Mounting Hole Diameter:
0.189 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.437 inches
Mating End Quantity:
2
Contact Position Arrangement Style:
"106, a106" all mating ends
Contact Removability:
Removable all mating ends all contact groupings
Contact Maximum Current Rating In Amps:
5.0 all mating ends all contact groupings
Contact Maximum Ac Voltage Rating In Volts:
1100.0 all mating ends all contact groupings
Polarization Method:
3 polarization posts
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back all mating ends all contact groupings
Contact Material:
Conner alloy all mating ends all contact groupings

**Contact Surface Treatment:** 

Gold all mating ends all contact groupings

**Terminal Type:** 

Crimp all mating ends all contact groupings

**Shell Surface Treatment:** 

Cadmium

**Shell Surface Treatment Specification:** 

Qq-p-416, type 2, cl 3 federal specification single treatment response

**Included Contact Quantity:** 

212 all mating ends all contact groupings

## NSN 5935-01-035-7390

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:	
Round pin all mating ends all contact groupings	
Precious Material And Location:	
Contact surfaces gold	
Precious Material And Weight:	
0.212 gold grains, troy	
Precious Material:	
Gold	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	

No Fiig: A039b0