## NSN 5935-01-037-0814

**Unthreaded Mounting Hole Diameter:** 

**Distance Between Mounting Facility Centers:** 

Body Style:
Straight type
Overall Length:
5.650 inches
Overall Height:
0.565 inches
Overall Width:
0.250 inches

0.120 inches

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-037-0814

5.400 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping
Included Contact Quantity:
68 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Left side d shaped socket guide rotated 270.0 deg, right side d shaped pin guide rotated 90.0 degrees clockwise from normal

## NSN 5935-01-037-0814

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.068 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.