## NSN 5935-01-039-3096

**Thread Class:** 

**Thread Direction:** 

2b

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-039-3096

Right-hand
Body Style:
Right angle type
Overall Length:
5.100 inches
Body Height:
0.250 inches
Environmental Protection:
Shock proof and salt water resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.086 inches
Distance Between Mounting Facility Centers:
4.800 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
2.0 single mating end single contact grouping
Thready Qty Per Inch (tpi):
56
Thread Size:
0.086 inches
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic epoxy single mating end and glass single mating end
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-c-533, alloy 172 federal specification single material response single mating end single contact grouping

## NSN 5935-01-039-3096

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Quantity:** 81 single mating end single contact grouping **Included Contact Type:** Leaf spring single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.081 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A039b0