NSN 5935-01-039-7098

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-039-7098

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Right angle type
Overall Length:
5.100 inches
Body Height:
0.250 inches
Environmental Protection:
Shock proof and vibration resistant and salt water resistant
Distance Between Mounting Facility Centers:
4.800 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
2.0 single mating end single contact grouping
Thread Size:
0.086 inches
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic epoxy single mating end and glass single mating end
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-c-533, alloy 172 federal specification single material response single mating end single contact grouping
Included Contact Quantity:
81 single mating end single contact grouping
Included Contact Type:
Leaf spring single mating end single contact grouping

NSN 5935-01-039-7098

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.081 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0