Electrical Plug Connector - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-01-040-1269

# Thread Class: 2a and 2b Thread Direction: Right-hand and right-hand Body Style: Straight shape, internal coupling Overall Length: 2.125 inches Overall Diameter: 1.969 inches

**Environmental Protection:** 

Moisture resistant and vibration resistant and salt water resistant

#### Threaded Device Type:

Back shell and coupling facility

#### Mating End Quantity:

1

Contact Position Arrangement Style:

28-20 single mating end

# **Contact Removability:**

Removable single mating end all contact groupings

#### **Contact Maximum Current Rating In Amps:**

41.0 single mating end 2nd contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end all contact groupings

## Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end all contact groupings

#### **Polarization Method:**

Keyway or multiple keyway

#### **Insert Position In Deg:**

0.0

Shell Type:

Solid

#### **Connector Locking Method:**

Internally threaded coupling ring

#### Thread Length:

0.467 inches and 0.633 inches

#### Thready Qty Per Inch (tpi):

18 and 18

Thread Size:

1.750 inches and 1.750 inches

**Terminal Location:** 

Back single mating end all contact groupings

# NSN 5935-01-040-1269

Electrical Plug Connector - Page 2 of 2



#### **Insert Material:**

Plastic silicone mineral filled single mating end

#### **Terminal Type:**

Crimp single mating end all contact groupings

#### Shell Material:

Aluminum alloy

# Shell Surface Treatment:

Nickel

#### **Included Contact Quantity:**

4 single mating end 1st contact grouping

#### Included Contact Type:

Round socket single mating end all contact groupings

#### **Test Data Document:**

81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Thread Series Designator:**

Uns and uns

#### **Specification Data:**

81349-mil-c-5015 government specification

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# Fiig:

A039b0