## NSN 5935-01-040-7498

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-040-7498 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.058 inches **Overall Diameter:** 0.844 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Tnc single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Shell Type:** Solid **Connector Locking Method:** Externally threaded shell **Connector Cable Strain Relief Method:** Crimp type Thready Qty Per Inch (tpi): 24 and 24 **Thread Size:** 0.625 inches and 0.625 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping and rhodium single mating end single contact grouping **Insert Material:** Plastic tetrafluoroethylene single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Stainless steel

Passivate

**Shell Surface Treatment:** 

## NSN 5935-01-040-7498

Electrical Receptacle Connector - Page 2 of 2



ty	:
֡	ty

1 single mating end single contact grouping

**Bushing Accommodation Hole Shape:** 

Round

**Included Contact Type:** 

Coaxial socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surface rhodium and contact surface silver

**Precious Material And Weight:** 

0.005 rhodium grains, troy and 0.005 silver grains, troy

**Precious Material:** 

Rhodium and silver

**Thread Series Designator:** 

Unef and unef

Shelf Life:

N/a

Unit Of Measure:

--

**Demilitarization:** 

No

Fiig:

A039b0