## NSN 5935-01-041-2919

Body Style: Right angle type Overall Length:

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-041-2919

5.650 inches **Overall Width:** 0.390 inches **Body Height:** 0.400 inches **Unthreaded Mounting Hole Diameter:** 0.120 inches **Distance Between Mounting Facility Centers:** 5.400 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end 1st contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end 1st contact grouping **Polarization Method:** Guide pin/socket **Terminal Location:** Back single mating end 1st contact grouping **Contact Material:** Copper alloy single mating end 1st contact grouping **Contact Surface Treatment:** Gold single mating end 1st contact grouping **Insert Material:** Plastic polyphenylene single mating end **Contact Surface Treatment Specification:** Qq-c-530 federal specification single treatment response single mating end 1st contact grouping **Terminal Type:** Printed circuit single mating end 1st contact grouping **Contact Material Specification:** Qq-c-530 federal specification single material response single mating end single contact grouping **Guide Design And Location:** D shape socket right-hand bottom at 3 oclock **Insert Material Specification:** 

Mil-m-24519 military specification single material response single mating end

**Included Contact Quantity:** 

68 single mating end 1st contact grouping

## NSN 5935-01-041-2919

Electrical Receptacle Connector - Page 2 of 2



## Included Contact Type: Round pin single mating end 1st contact grouping Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.068 gold grains, troy Precious Material: Gold Shelf Life: N/a Unit Of Measure: -Demilitarization: No Fiig:

A039b0

Mil-std (military Standard):

Mil-m-24519 spec.