Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-041-2919

Body Style:
Right angle type
Overall Length:
5.650 inches
Overall Width:
0.390 inches
Body Height:
0.400 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
5.400 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end 1st contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end 1st contact grouping
Polarization Method:
Guide pin/socket
Terminal Location:
Back single mating end 1st contact grouping
Contact Material:
Copper alloy single mating end 1st contact grouping
Contact Surface Treatment:
Gold single mating end 1st contact grouping
Insert Material:
Plastic polyphenylene single mating end
Contact Surface Treatment Specification:
Qq-c-530 federal specification single treatment response single mating end 1st contact grouping
Terminal Type:
Printed circuit single mating end 1st contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping
Guide Design And Location:
D shape socket right-hand bottom at 3 oclock
Insert Material Specification:
Mil-m-24519 military specification single material response single mating end
Included Contact Quantity:

68 single mating end 1st contact grouping



Included Contact Type: Round pin single mating end 1st contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.068 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-m-24519 spec.