## NSN 5935-01-041-2937

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-041-2937 **Thread Class:** 3b **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 0.890 inches **Overall Height:** 1.281 inches **Overall Width:** 1.281 inches **Environmental Protection:** Moisture resistant and vibration resistant and salt water resistant Center To Center Distance Between Mounting Facilities Parallel To Height: 0.968 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.968 inches **Distance From Mounting Shoulder To Front Face:** 0.312 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 27 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Spring friction **Thread Size:** 0.086 inches **Terminal Location:** 

Back single mating end all contact groupings

**Contact Surface Treatment:** 

Gold single mating end all contact groupings

## NSN 5935-01-041-2937

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Solder well single mating end 2nd contact grouping
Included Contact Quantity:
17 single mating end 2nd contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.027 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0