NSN 5935-01-041-7912

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-041-7912

Body Style:
Appliance
Overall Length:
4.250 inches
Overall Height:
2.750 inches
Overall Width:
1.310 inches
Environmental Protection:
Vibration resistant
Cable Entrance Diameter:
1.060 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
350.0 single mating end single contact grouping
Polarization Method:
Contact
Contact
Connector Cable Strain Relief Method:
Connector Cable Strain Relief Method:
Connector Cable Strain Relief Method: Crimp type
Connector Cable Strain Relief Method: Crimp type Terminal Location:
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material:
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material:
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type:
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Crimp single mating end single contact grouping
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Crimp single mating end single contact grouping Included Contact Quantity:
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Crimp single mating end single contact grouping Included Contact Quantity: 2 single mating end single contact grouping
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Crimp single mating end single contact grouping Included Contact Quantity: 2 single mating end single contact grouping Included Contact Type:
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Crimp single mating end single contact grouping Included Contact Quantity: 2 single mating end single contact grouping Included Contact Type: Flat pin single mating end single contact grouping
Connector Cable Strain Relief Method: Crimp type Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Crimp single mating end single contact grouping Included Contact Quantity: 2 single mating end single contact grouping Included Contact Type: Flat pin single mating end single contact grouping Precious Material And Location:

NSN 5935-01-041-7912Electrical Plug Connector - Page 2 of 2



Precious Material:
Silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0