

View Online at <https://aerobasegroup.com/nsn/5935-01-041-8307>

**Body Style:**

Straight shape w/cover

**Overall Length:**

Between 9.495 inches and 9.505 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

Between 7.995 inches and 8.005 inches

**Overall Width:**

Between 11.495 inches and 11.505 inches

**Environmental Protection:**

Dustproof and shock proof and salt water resistant

**Unthreaded Mounting Hole Diameter:**

Between 0.555 inches and 0.565 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 10.495 inches and 10.505 inches

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

21 single mating end

**Contact Removability:**

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:**

400.0 single mating end single contact grouping

**Contact Maximum Dc Voltage Rating In Volts:**

450.0 single mating end single contact grouping

**Polarization Method:**

Key, multiple key groove

**Insert Position In Deg:**

0.0

**Shell Type:**

Solid

**Terminal Location:**

Back single mating end single contact grouping

**Contact Surface Treatment:**

Silver single mating end single contact grouping

**Contact Surface Treatment Specification:**

Qq-s-365 federal specification single treatment response single mating end single contact grouping

**Terminal Type:**

Crimp single mating end single contact grouping

**Included Contact Quantity:**

21 single mating end single contact grouping

**Included Contact Type:**

Round pin single mating end single contact grouping

**Special Features:**

6 mounting holes

**Precious Material And Location:**

Contact surfaces silver

**Precious Material And Weight:**

0.105 silver grains, troy

**Precious Material:**

Silver

**Test Data Document:**

81349-milc24368 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81349-mil-c-24368/2 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0