## NSN 5935-01-042-1850

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-042-1850

view Offiline at https://acrobasegroup.com/hish/03935-01-042-1000
Body Style:
Straight shape
Overall Height:
4.354 inches
Overall Width:
2.000 inches
Environmental Protection:
Moisture resistant and vibration resistant and salt water resistant
Center To Center Distance Between Mounting Facilities Parallel To Height:
4.026 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.436 inches
Distance From Mounting Shoulder To Front Face:
0.766 inches
Mating End Quantity:
3
Contact Position Arrangement Style:
67 1st mating end
Contact Removability:
Removable single mating end all contact groupings
Shell Type:
Solid
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings
Insert Material:
Plastic diallyl phthalate all mating ends
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end all contact groupings
Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Aluminum alloy 380.0
Shell Surface Treatment:
Cadmium and chromate
Shell Material Specification:
Qq-a-591, alloy 380 federal specification single material response

Special Features:

Polarized at position 22

## NSN 5935-01-042-1850

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.279 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.