NSN 5935-01-044-7527

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-044-7527

view Offilite at https://defobasegroup.com/hsh/5555-01-044-7527
Body Style:
Straight type
Overall Length:
4.050 inches
Overall Height:
0.690 inches
Overall Width:
0.250 inches
Distance Between Mounting Facility Centers:
3.800 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
5.0 single mating end all contact groupings
Polarization Method:
Guide pin/socket
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings
Insert Material:
Glass single mating end and plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-14548, type 2, class 1 military specification all treatment responses single mating end all contact groupings
Terminal Type:
Solder well single mating end all contact groupings
Contact Material Specification:
Qq-c-530 federal specification all material responses single mating end all contact groupings
Insert Material Specification:
Mil-p-19833 military specification single material response single mating end or mil-m-type sdg military specification single material response
single mating end
Included Contact Quantity:
6 single mating end 1st contact grouping
Included Contact Type

Precious Material And Location: Contact surfaces gold

Round socket single mating end 2nd contact grouping

NSN 5935-01-044-7527

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.026 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-14548 spec.