## NSN 5935-01-046-6921

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-046-6921

**Body Style:** Right angle type **Overall Length:** 6.880 inches Overall Width: 0.469 inches **Body Height:** 0.400 inches **Environmental Protection:** Humidity resistant and salt water resistant and shock proof and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.096 inches and 0.101 inches **Distance Between Mounting Facility Centers:** 6.590 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Terminal Location:** Side single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and copper single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Tab, solder lug single mating end single contact grouping **Insert Material Specification:** Mil-m-14, type sdg-f or mil-p-19833, type gdi-30f military specification single material response single mating end **Included Contact Quantity:** 160 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.160 gold grains, troy **Precious Material:** 

Gold

## NSN 5935-01-046-6921

Electrical Receptacle Connector - Page 2 of 2



## **Test Data Document:**

81349-mil-c-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-c-55302/25 g	government s	pecification
------------------------	--------------	--------------

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.