Electrical Plug Connector - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-01-048-7506

# Thread Class:

2a

**Thread Direction:** 

Right-hand

## **Body Style:**

Straight shape, internal coupling

## **Overall Length:**

1.420 inches

#### **Overall Diameter:**

1.531 inches

#### **Environmental Protection:**

Moisture resistant and vibration resistant and salt water resistant

#### Threaded Device Type:

Back shell

#### Mating End Quantity:

1

## **Contact Position Arrangement Style:**

20-16 single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

1000.0 single mating end single contact grouping

## **Polarization Method:**

Keyway or multiple keyway

## Insert Position In Deg:

0.0

#### Shell Type:

Solid

## **Connector Locking Method:**

Bayonet latch

#### Thread Length:

0.290 inches

#### **Thread Size:**

1.188 inches

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

# **Terminal Type:**

Crimp single mating end single contact grouping

## Shell Material:

Aluminum alloy 6061

# NSN 5935-01-048-7506

Electrical Plug Connector - Page 2 of 2



# Shell Material Specification:

Qq-a-367, t6 federal specification single material response

# Included Contact Quantity:

16 single mating end single contact grouping

# Included Contact Type:

Round socket single mating end single contact grouping

# Precious Material And Location:

Contact surfaces gold

# Precious Material And Weight:

0.016 gold grains, troy

# Precious Material:

Gold

## **Test Data Document:**

81349-mil-c-26482 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Thread Series Designator:**

Unef

## **Specification Data:**

81349-mil-c-26482 government specification

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

#### Fiig:

A039b0