## NSN 5935-01-048-8406

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-048-8406 **Body Style:** Straight shape **Overall Length:** 0.785 inches **Overall Height:** 0.430 inches **Overall Width:** 0.305 inches **Environmental Protection:** Shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.091 inches **Distance Between Mounting Facility Centers:** 0.565 inches **Mating End Quantity: Contact Maximum Current Rating In Amps:** 3.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 300.0 single mating end all contact groupings **Polarization Method:** Mating end **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings **Insert Material:** Plastic diallyl phthalate single mating end **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end **Included Contact Quantity:** 9 single mating end all contact groupings **Precious Material And Location:** Contact surface gold **Precious Material:** Gold Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5935-01-048-8406

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.