NSN 5935-01-049-5004

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-049-5004 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Pcb, external coupling **Overall Length:** 0.530 inches **Overall Height:** 0.250 inches **Overall Width:** 0.250 inches **Environmental Protection:** Fungus proof and moisture resistant and fuel resistant and vibration resistant Center To Center Distance Between Mounting Facilities Parallel To Height: 0.200 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.200 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping Thread Length: 0.170 inches Thready Qty Per Inch (tpi): 36 **Thread Size:** 0.190 inches **Terminal Location:**

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

NSN 5935-01-049-5004

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment:	
Gold single mating end single contact grouping	
Insert Material:	
Plastic polytetrafluoroethylene single mating end	
Contact Surface Treatment Specification:	
Mil-g-45204, type 2, class 2 military specification single treatment response single mating end single contact group	uping
Terminal Type:	
Pin single mating end single contact grouping	
Contact Material Specification:	
Qq-c-530 federal specification single material response single mating end single contact grouping	
Shell Material:	
Steel	
Insert Material Specification:	
Mil-p-19468 military specification single material response single mating end	
Included Contact Quantity:	
1 single mating end single contact grouping	
Included Contact Type:	
Coaxial socket single mating end single contact grouping	
Precious Material And Location:	
Contact surface gold	
Precious Material And Weight:	
0.005 gold grains, troy	
Precious Material:	
Gold	
Thread Series Designator:	
Uns	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.