## NSN 5935-01-049-7922



Electrical Receptacle Connector Body - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-049-7922 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape center screwlock **Overall Length:** Between 2.149 inches and 2.159 inches Center To Center Distance Between Mounting Facilities Parallel To Length: Between 1.894 inches and 1.919 inches **Overall Height:** Between 0.664 inches and 0.726 inches **Overall Width:** Between 0.387 inches and 0.417 inches **Environmental Protection:** Moisture resistant and vibration resistant and salt water resistant **Unthreaded Mounting Hole Diameter:** Between 0.105 inches and 0.135 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 2 **Contact Position Arrangement Style:** 42 all mating ends **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 48 **Thread Size:** 0.099 inches **Insert Material:** Plastic phenolic all mating ends **Shell Material:** Aluminum alloy **Shell Surface Treatment:** 

Cadmium **Shell Surface Treatment Specification:** 

Qq-p-416, type 3 class 2 federal specification single treatment response

## NSN 5935-01-049-7922

Electrical Receptacle Connector Body - Page 2 of 2



Qq-a-250 federal specification single material response

**Insert Material Specification:** 

Mil-m-14, ty mfh military specification single material response all mating ends

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.