Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-051-8185

Thread	d Class:
2a	
Thread	d Direction:
Right-h	nand
Body S	Style:
Straigh	t shape threaded
-	I Length:
1.812 i	nches
Overal	Il Diameter:
Betwee	en 2.044 inches and 2.076 inches
Enviro	nmental Protection:
Corros	ion resistant and moisture resistant and thermal shock resistant and vibration resistant
Distan	ce From Mounting Shoulder To Front Face:
Betwee	en 0.878 inches and 0.892 inches
Thread	ded Device Type:
	ng bushing
Mating	End Quantity:
1	
Contac	ct Position Arrangement Style:
22-55 క	single mating end
Contac	ct Removability:
Nonrer	novable single mating end single contact grouping
Contac	ct Maximum Current Rating In Amps:
7.5 sing	gle mating end single contact grouping
Contac	ct Maximum Ac Voltage Rating In Volts:
120.0 ຮ	single mating end single contact grouping
Contac	ct Maximum Dc Voltage Rating In Volts:
200.0 ຮ	single mating end single contact grouping
Polariz	zation Method:
Keywa	y or multiple keyway
Insert	Position In Deg:
0.0	
Shell T	Гуре:
Solid	
Conne	ctor Locking Method:
Bayone	et pin
Thread	d Size:
1.500 i	nches
Termir	nal Location:
Back s	ingle mating end single contact grouping
Contac	ct Material:
Conno	r alloy single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment:

Gold single mating end single contact grouping and nickel single mating end single contact grouping

Insert Material:

Plastic single mating end

Terminal Type:

Solder well single mating end single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Shell Material Specification:

Qq-a-367 federal specification single material response

Included Contact Quantity:

55 single mating end single contact grouping

Bushing Accommodation Hole Shape:

Round w/double flat

Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.055 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

```
---
```

Demilitarization:

No

Fiig:

A039b0