Electrical Plug Connector - Page 1 of 2

AeroBase Grou

View Online at https://aerobasegroup.com/nsn/5935-01-052-3374

# Thread Class:

2a

**Thread Direction:** 

Right-hand

# **Body Style:**

Straight shape, internal coupling

#### **Overall Length:**

1.234 inches

# **Overall Diameter:**

1.156 inches

#### **Environmental Protection:**

Moisture resistant and vibration resistant and salt water resistant

#### Threaded Device Type:

Back shell

#### Mating End Quantity:

1

# **Contact Position Arrangement Style:**

13-98 single mating end

# **Contact Removability:**

Removable single mating end single contact grouping

# **Polarization Method:**

Key, multiple key groove

# **Insert Position In Deg:**

228.0

#### Shell Type:

Solid

#### **Connector Locking Method:**

Bayonet latch

#### Thread Length:

0.219 inches

#### Thread Size:

0.688 inches

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

#### **Terminal Type:**

Crimp single mating end single contact grouping

#### Shell Material:

Aluminum alloy

# NSN 5935-01-052-3374



NSN 5935-01-052-3374 Electrical Plug Connector - Page 2 of 2	<b>ACTUBAS</b> Grou
Shell Surface Treatment:	
Cadmium and chromate	
Included Contact Quantity:	
10 single mating end single contact grouping	
Included Contact Type:	
Round socket single mating end single contact grouping	
Precious Material And Location:	
Contact surface gold and contact surface silver	
Precious Material And Weight:	
0.010 gold grains, troy and 0.010 silver grains, troy	
Precious Material:	
Gold and silver	
Test Data Document:	
81349-mil-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type	e data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type	data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Thread Series Designator:	
Unef	
Specification Data:	
81349-mil-c-38999 government specification	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A039b0	
Mil-std (military Standard):	
Mil-c-38999 spec.	