## NSN 5935-01-052-9241

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-052-9241 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight type **Overall Length:** 8.000 inches **Overall Height:** 1.094 inches **Overall Width:** 0.469 inches **Environmental Protection:** Heat resistant **Distance Between Mounting Facility Centers:** 6.875 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Guide pin/socket **Connector Locking Method:** Screw lock pin Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** 

Plastic diallyl phthalate single mating end

Crimp single mating end single contact grouping

**Terminal Type:** 

## NSN 5935-01-052-9241

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
104 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
48 in. Lg wire lead terminals
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.104 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0