Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-053-1479

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.062 inches
Overall Diameter:
Between 0.199 inches and 0.205 inches
Environmental Protection:
Vibration proof
Distance From Mounting Shoulder To Front Face:
0.425 inches
Threaded Device Type:
Back shell and mounting bushing
Mating End Quantity:
Contact Position Arrangement Style:
Bnc single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Bayonet pin
Thready Qty Per Inch (tpi):
32
Thread Size:
0.469 inches
Terminal Location:
Back single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Metal ferrous
Included Contact Quantity:
1 single mating end single contact grouping

## NSN 5935-01-053-1479

Electrical Receptacle Connector - Page 2 of 2



**Bushing Accommodation Hole Shape:** Round w/flat Included Contact Type: Coaxial socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.005 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Uns Shelf Life: N/a Unit Of Measure: ---Demilitarization:

No

Fiig:

A039b0