NSN 5935-01-061-7473

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-061-7473

Body Style:
Straight type
Overall Length:
2.425 inches
Overall Width:
0.175 inches
Environmental Protection:
Shock resistant and vibration resistant and moisture resistant and salt water resistant
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy 172 single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping and copper single mating end single
contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204 ty i, cl 0 military specification single treatment response single mating end single contact grouping
Contact Material Specification:
Qq-c-533 federal specification single material response single mating end single contact grouping
Insert Material Specification:
Mil-m-14 ty gdi-30f military specification single material response single mating end
Included Contact Quantity:
24 single mating end single contact grouping
Included Contact Type:
Leaf spring single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.048 gold grains, troy
Precious Material:

N/a

Gold

Shelf Life:

NSN 5935-01-061-7473

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:	
Nο	

Unit Of Measure:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.