NSN 5935-01-062-2419

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-062-2419

Through Observ
Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight edge type w/mounting flange
Overall Length:
4.550 inches
Overall Height:
0.390 inches
Overall Width:
0.285 inches
Environmental Protection:
Shock resistant and vibration resistant and corrosion resistant and humidity resistant
Distance Between Mounting Facility Centers:
4.245 inches
Board Accommodated Length:
3.750 inches single board
Threaded Device Type:
Mounting hole
Board Accommodated Width:
0.075 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, cl, grade c military specification 1st treatment response single mating end single contact grouping and gg-n-290, cl 2

Mil-g-45204, type 2, cl, grade c military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 2 federal specification 2nd treatment response single mating end single contact grouping

NSN 5935-01-062-2419

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:

Wire wrap single mating end single contact grouping

Contact Material Specification:

Qq-c-530 federal specification single material response single mating end single contact grouping or qq-c-533 federal specification single material response single mating end single contact grouping or qq-b-750 federal specification single material response single mating end single contact grouping

Insert Material Specification:

Mil-m-14, ty sdg-f or gdi-30f military specification single material response single mating end

Included Contact Quantity:

52 single mating end single contact grouping

Included Contact Type:

Hermaphrodite single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.052 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No Fiig:

-

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.