## NSN 5935-01-064-6835

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-064-6835

**Body Style:** Straight shape, external coupling **Overall Length:** 0.719 inches **Overall Height:** 0.954 inches **Overall Width:** 0.954 inches **Environmental Protection:** Salt water resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.359 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.719 inches **Distance From Mounting Shoulder To Front Face:** Between 0.312 inches and 0.322 inches **Mating End Quantity: Contact Position Arrangement Style:** 36434 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1300.0 single mating end single contact grouping **Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 100.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

# NSN 5935-01-064-6835

Electrical Receptacle Connector - Page 2 of 2



#### **Contact Surface Treatment:**

Nickel single mating end single contact grouping and gold single mating end single contact grouping

#### **Insert Material:**

Steel single mating end

## **Contact Surface Treatment Specification:**

Qq-n-290 federal specification single treatment response single mating end single contact grouping and mil-g-45204 military specification single treatment response single mating end single contact grouping

## **Terminal Type:**

Solder well single mating end single contact grouping

## **Contact Material Specification:**

Qq-b-750 federal specification single material response single mating end single contact grouping

#### **Shell Material:**

Steel

## **Shell Surface Treatment:**

Gold

## **Shell Surface Treatment Specification:**

Mil-g-45204 military specification single treatment response

## **Shell Material Specification:**

Qq-s-624 federal specification single material response

## **Insert Material Specification:**

Qq-n-290 federal specification single material response single mating end

## **Included Contact Quantity:**

7 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Test Data Document:**

98230-0n228040-2 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## Shelf Life:

N/a

#### **Unit Of Measure:**

Demilitarization:

# No

Fiig:

## A039b0

\_\_\_\_\_

## Mil-std (military Standard):

Mil-g-45204 spec.