Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-065-0405

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Angle shape, external coupling
Bushing Diameter:
0.110 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.232 inches
Overall Height:
0.645 inches
Overall Width:
0.375 inches
Unthreaded Mounting Hole Diameter:
0.093 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.232 inches
Flange Length:
0.375 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thready Qty Per Inch (tpi):
36
Thread Size:
0.190 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping



Insert Material:
Plastic fluorocarbon single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Steel
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial socket single mating end single contact grouping
Precious Material And Location:
Contact surface gold
Precious Material And Weight:
0.005 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
A039b0