## NSN 5935-01-066-3782

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-066-3782

Body Style:
Straight shape
Overall Length:
2.729 inches
Overall Height:
0.523 inches
Overall Width:
0.494 inches
Environmental Protection:
Corrosion resistant and moisture proof and shock resistant and vibration proof
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
2.500 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
37 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Contact
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204 cl 1, type 4 grade c military specification single treatment response single mating end single contact grouping
Terminal Type:
Crimp and solder single mating end single contact grouping
Contact Material Specification:
Mil-c-14550 cl 4 military specification single material response single mating end single contact grouping
Shell Material:

Steel

## NSN 5935-01-066-3782

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:	
Cadmium	
Insert Material Specification:	
Mil-m-14 sdg-f military specification single material response single mating end	
Included Contact Quantity:	
37 single mating end single contact grouping	
Included Contact Type:	
Round pin single mating end single contact grouping	
Precious Material And Location:	
Contact surfaces gold	
Precious Material And Weight:	
0.037 gold grains, troy	
Precious Material:	
Gold	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A039b0	
Mil-std (military Standard):	
Mil-c-14550 spec.	