

View Online at <https://aerobasegroup.com/nsn/5935-01-067-2925>

Body Style:

Straight shape, external/internal coupling

Overall Length:

1.406 inches

Overall Diameter:

0.822 inches

Environmental Protection:

Moisture resistant and salt water resistant and shock proof

Mating End Quantity:

2

Contact Position Arrangement Style:

N 2nd mating end

Contact Removability:

Nonremovable single mating end all contact groupings

Shell Type:

Solid

Connector Locking Method:

Bayonet pin and internally threaded shell

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end all contact groupings

End Application:

Aircraft stratolifter c-135

Contact Material:

Copper alloy single mating end all contact groupings

Contact Surface Treatment:

Gold single mating end all contact groupings

Included Contact Quantity:

1 2nd mating end all contact groupings

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.002 gold grains, troy

Precious Material:

Gold

Test Data Document:

81349-mil-a-55339 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-a-55339/21 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0