## NSN 5935-01-067-9119

Electrical Receptacle Connector - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5935-01-067-9119 |
|---|
| Body Style:   |
| Straight shape  |
| Overall Length:   |
| 0.935 inches  |
| Overall Height:   |
| 0.391 inches  |
| Overall Width:  |
| 0.215 inches  |
| Environmental Protection:                                     |
| Moisture resistant and vibration resistant                    |
| Unthreaded Mounting Hole Diameter:                            |
| 0.094 inches  |
| Distance Between Mounting Facility Centers:                   |
| 0.715 inches  |
| Mating End Quantity:  |
| 1   |
| Contact Position Arrangement Style:                           |
| "2, 15" single mating end                                     |
| Contact Removability:   |
| Nonremovable single mating end single contact grouping        |
| Contact Maximum Current Rating In Amps:                       |
| 3.0 single mating end single contact grouping                 |
| Polarization Method:  |
| Mating end  |
| Shell Type:   |
| Solid   |
| Connector Locking Method:                                     |
| Bayonet pin   |
| Terminal Location:  |
| Back single mating end single contact grouping                |
| Contact Material:   |
| Copper alloy single mating end single contact grouping        |
| Contact Surface Treatment:                                    |
| Gold single mating end single contact grouping                |
| Insert Material:  |
|   |

Plastic diallyl phthalate single mating end

**Shell Material:** 

Aluminum

## **Shell Surface Treatment:**

Cadmium and chromate

## **Included Contact Quantity:**

15 single mating end single contact grouping

## NSN 5935-01-067-9119

Electrical Receptacle Connector - Page 2 of 2



Twisted pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surface gold

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0