## NSN 5935-01-069-6757

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-069-6757

**Body Style:** Right angle type **Overall Length:** 3.950 inches **Overall Height:** 0.985 inches **Overall Width:** 0.360 inches **Unthreaded Mounting Hole Diameter:** 0.128 inches **Distance Between Mounting Facility Centers:** 3.650 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 800.0 single mating end single contact grouping **Polarization Method:** Fixed inter-contact **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Crimp single mating end single contact grouping **Insert Material Specification:** Mil-m-14, sdgf military specification single material response single mating end **Included Contact Quantity:** 60 single mating end single contact grouping **Included Contact Type:** Bifurcated spring single mating end single contact grouping **Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-01-069-6757

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.060 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.