## NSN 5935-01-074-0878

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-074-0878
Body Style:
Straight shape
Overall Length:
0.930 inches
Overall Height:
0.365 inches
Overall Width:
0.208 inches
Environmental Protection:
Thermal shock resistant and moisture resistant and vibration resistant and shock resistant and salt water resistant and sand resistant and
dust resistant
Unthreaded Mounting Hole Diameter:
Between 0.089 inches and 0.094 inches
Distance Between Mounting Facility Centers:
0.715 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
15 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-q-45204 type 2 military specification all treatment responses single mating end single contact grouping

**Shell Material:** 

**Terminal Type:** 

Solder well single mating end single contact grouping

Aluminum alloy

## NSN 5935-01-074-0878

Mil-g-45204 spec.

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Nickel
Shell Surface Treatment Specification:
Mil-c-26074, class 3 military specification single treatment response
Shell Material Specification:
Qq-a-591 federal specification single material response
Insert Material Specification:
Mil-m-14, ty sdg military specification single material response single mating end
Included Contact Quantity:
15 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.015 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):