NSN 5935-01-077-5883

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-077-5883
Body Style:
Straight shape, external coupling
Overall Length:
1.190 inches
Bushing Diameter:
0.560 inches
Overall Height:
0.750 inches
Overall Width:
0.750 inches
Environmental Protection:
Shock proof and vibration proof
Unthreaded Mounting Hole Diameter:
0.125 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.530 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.530 inches
Distance From Mounting Shoulder To Front Face:
0.760 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
Bnc single mating end
Contact Removability:

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

Contact Maximum Frequency Rating:

4000.0 megahertz single mating end single contact grouping

Shell Type:

Solid

Connector Locking Method:

Bayonet latch

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Silver single mating end single contact grouping

NSN 5935-01-077-5883

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment Specification:

Qq-s-365 federal specification single treatment response single mating end single contact grouping

Terminal Type:

Tab, solder lug single mating end single contact grouping

Contact Material Specification:

Qq-b-626, alloy 360, 1/2 hard federal specification single material response single mating end single contact grouping

Shell Material:

Copper alloy

Shell Material Specification:

Qq-b-626, alloy 360 1/2 hard federal specification single material response

Included Contact Quantity:

1 single mating end single contact grouping

Included Contact Type:

Coaxial pin single mating end single contact grouping

Precious Material And Location:

Contact surface silver

Precious Material And Weight:

0.005 silver grains, troy

Precious Material:

Silver

Shelf Life:

N/a

Unit Of Measure:

_

Demilitarization:

No Fiig:

A039b0