## NSN 5935-01-078-6725

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-078-6725

view Online at https://defobasegroup.com/nish/0355-01-070-0725
Body Style:
Pcb, angle shape, external coupling
Overall Length:
0.438 inches
Overall Height:
0.172 inches
Overall Width:
0.172 inches
Environmental Protection:
Moisture resistant and shock resistant and vibration resistant
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type ii, class 1 military specification single treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Gold and copper
Shell Surface Treatment Specification:
Mil-g-45204, type ii, class 1 military specification single treatment response
Included Contact Quantity:

## ......

1 single mating end single contact grouping

## **Included Contact Type:**

Coaxial socket single mating end single contact grouping

## NSN 5935-01-078-6725

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location
Contact and body surface gold
<b>Precious Material And Weight:</b>
0.105 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

**Mil-std (military Standard):** Mil-g-45204 spec.