Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-080-9905

| Body Style:  |
|--|
| Straight shape duplex  |
| Overall Height:  |
| 1.125 inches   |
| Overall Width:   |
| 1.750 inches   |
| Body Length:   |
| 2.875 inches   |
| Environmental Protection:  |
| Heat resistant and salt water resistant  |
| Distance Between Mounting Facility Centers:  |
| 3.281 inches   |
| Mating End Quantity:   |
| 2  |
| Contact Position Arrangement Style:  |
| "3, 6-20" all mating ends  |
| Contact Removability:  |
| Nonremovable all mating ends all contact groupings   |
| Contact Maximum Current Rating In Amps:  |
| 20.0 all mating ends all contact groupings   |
| Contact Maximum Ac Voltage Rating In Volts:  |
| 250.0 all mating ends all contact groupings  |
| Polarization Method:   |
| Contact  |
| Connector Locking Method:  |
| Friction   |
| Terminal Location:   |
| Side all mating ends all contact groupings   |
| Contact Material:  |
| Copper alloy all mating ends all contact groupings   |
| Terminal Type:   |
| Screw all mating ends all contact groupings  |
| Test Data Document:  |
| 81348-w-c-596 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; |
| excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental        |
| and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  |
| Specification Data:  |
| 81348-w-c-596/65 government specification  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
|  |

## NSN 5935-01-080-9905

Electrical Receptacle Connector - Page 2 of 2

**Fiig:** A039b0

