NSN 5935-01-082-9559

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-082-9559

| Body Style: |
|--|
| Straight shape |
| Overall Length: |
| 2.088 inches |
| Overall Height: |
| 0.819 inches |
| Overall Width: |
| 0.494 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.120 inches |
| Distance Between Mounting Facility Centers: |
| 1.852 inches |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| "b, 17w2" single mating end |
| Contact Removability: |
| Nonremovable single mating end all contact groupings |
| Polarization Method: |
| Mating end |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Friction |
| Terminal Location: |
| Back single mating end all contact groupings |
| Contact Material: |
| Copper alloy single mating end all contact groupings |
| Contact Surface Treatment: |
| Gold single mating end all contact groupings and nickel single mating end all contact groupings |
| Insert Material: |
| Glass single mating end and plastic diallyl phthalate single mating end |
| Terminal Type: |
| Solder well single mating end all contact groupings |
| Shell Material: |
| Steel |
| Shell Surface Treatment: |
| Cadmium and chromate |
| Insert Material Specification: |
| Mil-m-14, type gdi-30f or type sd6-f military specification single material response single mating end |

Included Contact Quantity:

2 single mating end 1st contact grouping

NSN 5935-01-082-9559

Electrical Receptacle Connector - Page 2 of 2



A039b0

Mil-m-14 spec.

Mil-std (military Standard):