## NSN 5935-01-085-3919

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-085-3919

**Body Style:** Square flange mounted w/lockin **Bushing Diameter:** 0.937 inches **Overall Height:** 1.437 inches **Overall Width:** 1.062 inches **Environmental Protection:** Corrosion resistant and salt water resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.030 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.656 inches **Mating End Quantity: Contact Position Arrangement Style:** 4 single mating end **Contact Maximum Current Rating In Amps:** 10.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 133.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method: Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping

**Insert Material:** 

Plastic polyamide single mating end

**Terminal Type:** 

Solder well single mating end single contact grouping

## NSN 5935-01-085-3919

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Plastic abs
Included Contact Quantity:
4 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Shell nickel plated over copper
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0