NSN 5935-01-085-6518

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-085-6518

Body Style:
Right angle type
Overall Length:
6.000 inches
Overall Height:
0.580 inches
Overall Width:
0.284 inches
Environmental Protection:
Corrosion resistant and moisture resistant and shock resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.068 inches
Distance Between Mounting Facility Centers:
5.800 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Guide pin/socket
Shell Type:
Solid
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold and nickel single mating end single contact grouping
Insert Material:
Plastic polyamide single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, cl 1, grade b military specification 1st treatment response and qq-n-290, cl 2 federal specification 2nd treatment
response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-b-613, comp 360 federal specification single material response single mating end single contact grouping
Shell Material:

Gold and chromate

Aluminum alloy 6061

Shell Surface Treatment:

NSN 5935-01-085-6518

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment Specification:

Mil-c-5541, cl 1a military specification all treatment responses

Shell Material Specification:

Qq-a-200, type 6061-t6 federal specification single material response

Insert Material Specification:

Mil-m-20693, pe i military specification single material response single mating end

Included Contact Quantity:

110 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contacts and shell surfaces gold

Precious Material And Weight:

0.210 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.