

View Online at https://aerobasegroup.com/nsn/5935-01-086-1762

Body Style:
Straight shape
Overall Length:
2.088 inches
Overall Height:
0.546 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
Between 0.115 inches and 0.125 inches
Distance Between Mounting Facility Centers:
1.852 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
52 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Glass single mating end and plastic polyamide single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Shell Material:
Steel
Shell Surface Treatment:
Cadmium

NSN 5935-01-086-1762

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response **Shell Material Specification:** Qq-s-698 federal specification single material response **Included Contact Quantity:** 52 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.052 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.