Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-086-5524

View Online at https://aerobasegroup.com/nsn/5935-01-086-5524
Thread Class:
2a and 2b and 2a
Thread Direction:
Right-hand
Body Style:
Straight type
Overall Length:
2.685 inches
Environmental Protection:
Moisture resistant and shock resistant and vibration resistant
Distance Between Mounting Facility Centers:
2.352 inches
Threaded Device Type:
Coupling facility and mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Screw
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Glass single mating end and plastic polyester single mating end
Terminal Type:
Crimp single mating end single contact grouping
Included Contact Quantity:
36 single mating end single contact grouping
Included Contact Type:
Leaf spring single mating end single contact grouping



Precious Material And Location: Contact surfaces gold **Precious Material And Weight:** 0.036 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:

A039b0
