## NSN 5935-01-089-1993

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-089-1993

Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length:
5.114 inches
Overall Height:
0.586 inches
Overall Width:
0.275 inches
Distance Between Mounting Facility Centers:
4.800 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Thread Size:
2.5 millimeters
Thread Pitch In Millimeters:
0.45
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Crimp single mating end single contact grouping
Thread Tolerance Class:
6g external
Included Contact Quantity:

84 single mating end single contact grouping

## NSN 5935-01-089-1993

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.084 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Iso s
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0