Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-089-2952

## **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Angle shape, w/o cable clamp **Overall Diameter:** 1.312 inches **Body Angle In Deg:** 90.0 **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 22-24 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Internally threaded coupling nut **Distance From Centerline To Connector End:** 3.281 inches Thready Qty Per Inch (tpi): 18 and 18 **Thread Size:** 1.062 inches and 1.312 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping **Insert Material:** Rubber single mating end **Terminal Type:**

Solder well single mating end single contact grouping

## NSN 5935-01-089-2952

Electrical Plug Connector - Page 2 of 2



Shell Material: Aluminum **Shell Surface Treatment:** Anodize **Included Contact Quantity:** 24 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces silver **Precious Material And Weight:** 0.024 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Unef and unef Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0